



CARDLOCK WRITTEN CUSTOMER AGREEMENT

Business Name: _____

Address: _____

City, State, Zip Code: _____

Phone: _____

The following is required under ORS 480.345

PROOF OF BUSINESS REQUIREMENT: I/we agree to provide verifiable proof of business in the form of a Federal Employee Identification Number (FEIN), or a copy of a document issued by a governmental agency that clearly indicates active participation in the business, government agency, nonprofit organization, or charitable organization. Unless an FEIN is used to verify business, I/we will provide an updated copy (as checked below) either annually or upon expiration.

FEIN _____

- Unexpired Business License, Current Federal Income Tax Schedule C or F, Equivalent Documentation (subject to approval)

MINIMUM FUEL PURCHASE REQUIREMENT: I/we agree to purchase 900 gallons of Class 1 flammable liquids or diesel fuel from any source annually, or I am exempt from the minimum gallon purchase requirement by checking one of the following below.

- I/we have been a continuous cardlock customer since at least June 30, 1991. (Supporting evidence required)
I/we engage in farming and claim fuel as a deductible expense and will annually provide a federal schedule F showing on the appropriate line the amount of fuel expenses being deducted.
We are one of the following (check as appropriate):
A government agency providing fire, ambulance, or police services under ORS 480.345
A people's utility district organized under ORS chapter 261
A domestic water supply district organized under ORS chapter 264
A mass transit district organized under ORS 267.010 to 267.390
A metropolitan service district organized under ORS chapter 268
A special road district organized under ORS 371.305 to 371.360
A 9-1-1 communications district organized under ORS 403.300 to 403.380
A sanitary district organized under ORS 450.005 to 450.245
A sanitary, water authority or joint water and sanitary authority organized under ORS 450.600 to 450.989
A rural fire protection district organized under ORS chapter 478
A water improvement district organized under ORS chapter 552
A water control district organized under ORS chapter 553
A port organized under ORS chapter 777

BUSINESS USE REQUIREMENT: I/we agree to dispense Class 1 flammable liquids only into motor vehicles, or approved containers, that are owned or used by this business, government agency, nonprofit organization or charitable organization. I will not dispense fuel for personal use.

FIRE SAFETY TRAINING REQUIREMENT: I have completed the fire safety training as required by the State Fire Marshal, and agree that each individual and employee allowed to dispense Class 1 flammable liquids for my account will receive or has received the fire safety training before dispensing any gasoline.

By signing this agreement, I certify that all information provided is true and correct and I/we understand that my/our account may be cancelled for violations of this agreement or State Fire Marshal cardlock regulations.

Typed or Printed Name: _____

Signature: _____ Date: _____

Under ORS 162.075, falsely certifying that you are qualified to be a non-retail fuel customer or that the above information is true and correct, when it is not, is a Class A Misdemeanor.



FIRE SAFETY TRAINING

SAFE FUELING GUIDELINES

The following are guidelines you **MUST** follow when using a cardlock facility.

**NO SMOKING
GASOLINE IS FLAMMABLE**



NO SMOKING

- Smoking is not permitted. Doing so could result in a serious fire and/or injury.

FIRE EXTINGUISHER LOCATION & USE

Location and instructions for use must be conspicuously posted.

TO USE:

- Hold the extinguisher upright
- Pull ring pin
- Stand back 8 feet from the fire
- Aim at base of fire and squeeze lever
- Sweep side to side



IDENTIFY EMERGENCY EQUIPMENT

Emergency equipment has been installed at this site. Signs have been posted to help you identify it.

BEFORE fueling, please note the location of the following emergency equipment.

- FIRE EXTINGUISHERS.
- A RED EMERGENCY STOP BUTTON is on the card reader station panel. This will shut down the fuel pumps.
- AN EMERGENCY SHUT OFF SWITCH. This allows you to shut down the entire system from a location other than the fueling island. It is clearly identified with a sign. If a fire starts use the EFSO.
- A TELEPHONE or a fire alarm transmitting device.

THE SITE OPERATOR'S telephone number is posted at the site. If you need assistance or need to report a spill or problem, call this number.

CONTAINERS

Only approved containers may be filled.

Approved containers must be:

- CLEARLY MARKED with the name of the liquid. (NFPA No. 30A, Sec. 9.2.3.2).
- Constructed of metal or approved plastic, have a tight closure, and be fitted with a spout or be so designed that the contents can be poured without spilling. (OFC 3404.3 –NFPA 30 4.2).

- A metal or *plastic safety that holds 5 gallons or less (NFPA 30 table 6.2.3).

* An approved plastic container is one that has been tested and listed to be in compliance with the requirements of ASTM F 852 or F 976, ANSI/UL 1313, or 49 CFR.

- A metal drum, meeting DOT specifications that holds 60 gallons or less (NFPA 30, Sec 4.2.3).

Procedures for fueling portable containers:

- Portable containers up to 12 gallons **must** be placed on the ground before filling. **DO NOT FILL PORTABLE CONTAINERS WHILE THEY ARE IN A TRUNK, A BOAT, OR BED OF A PICKUP!** (NFPA No. 30A, Sec. 9.2.3.3)
- Do not use latch open devices when filling portable containers.

OTHER PRECAUTIONS

- STOP YOUR ENGINE and put your vehicle in PARK or set your emergency brake. You MUST STOP your engine before fueling. Discharge static electricity before touching the nozzle.
- You must remain outside your vehicle and must attend the nozzle and be in full view of the nozzle while refueling.

HOW TO BEGIN FUELING

- Insert access card into the card reader and remove it. Directions will appear on the screen of the card reader.
 - Enter your security number. Press ENTER.
- (On a two card system, you will now enter the vehicle card using the same process).
- Enter your 5 digit odometer number or any other number. Press ENTER.
 - Activate the pump by entering the pump number. Press ENTER.
 - Lift the nozzle from the pump and insert the nozzle deeply into the fuel tank.
 - Activate the pump by lifting the lever on the side of the pump.
 - Pull the trigger on the nozzle and begin to dispense fuel.

The optimum nozzle setting for speed of delivery is between 1/2 and 3/4 open. Faster delivery may result in a spill.

If the nozzle is activated too quickly, a leak detector will automatically slow pumping to a trickle. If this happens, release the trigger on the nozzle and wait 10 seconds. Pull trigger back on and pumping should be normal.

FIRE SAFETY TRAINING RECEIPT

I certify that I have received and read the fire safety training material provided to me. I have also distributed the material to all employees under my supervision and certify that they have been trained in the safe operation of gasoline dispensing equipment at unattended automated fueling sites.

CUSTOMER NAME (please print): _____

CUSTOMER SIGNATURE: _____ DATE: _____

ACCOUNT NUMBER: _____

FUELING COMPLETED

- The nozzle should click off when the tank is full.
- Do not top off the tank (OAR 340-244-0232).
- Shut the pump off by moving the lever on the pump down.
- Return the nozzle to its hanger.

IN CASE OF FIRE, SPILL OR RELEASE

1. USE EMERGENCY PUMP SHUTOFF
2. CALL 911 TO REPORT THE ACCIDENT, or press the fire alarm if no phone is available.

IN CASE OF SPILL OR RELEASE: CALL THE OPERATOR EMERGENCY NUMBER.

WARNING: Driving away with the nozzle still in your vehicle can result in fire or spill, which could lead to extreme damage and serious injury.

If you drive off with the nozzle in the vehicle, follow the procedures below:

1. STOP VEHICLE.
2. TURN PUMP OFF.
3. PUT HOSE BACK ON PUMP IF POSSIBLE.
4. REPORT INCIDENT USING EMERGENCY NUMBER POSTED AT SITE.

Advise of:

- Your Location
- Pump Number
- Date and Time
- Your Name and Telephone Number

If other assistance is needed call the emergency number and report the problem.

CAUTION! HAZARDOUS MATERIALS

ALL FUELS ARE HAZARDOUS. Read the following warning statements.

DANGERS OF GASOLINE

- Gasoline is extremely flammable.
- Harmful or fatal if *swallowed*.
- May be harmful if *inhaled or absorbed through the skin*.
- May cause *irritation*.
- Long term exposure to *vapors* has caused *cancer* in laboratory animals.
- Keep away from heat, sparks, and flame.
- Avoid breathing *vapor*.
- Use only in well *ventilated* locations.
- Avoid contact with *eyes* and prolonged contact with *skin*. Wash thoroughly after handling.
- Keep container closed.
- FOR USE AS MOTOR FUEL ONLY.

DANGERS OF DIESEL

- Diesel is *combustible*.
- May cause irritation to *eyes*.
- Avoid contact with *eyes*.
- Middle distillates (including diesel) have caused *skin cancer* and *kidney damage* in laboratory animals.
- Keep away from *heat and flame*.
- Use only in well *ventilated* locations.
- Avoid prolonged or repeated contact with *skin*. Wash thoroughly after handling.
- Keep head away from container when opening or dispensing.

FIRST AID PROCEDURES

It is important that you follow these emergency and first aid procedures if you come into contact with gasoline and diesel fuel.

EYES: Flush with water for 15 minutes.

SKIN: Wash exposed areas with soap and water.

INGESTION: DO NOT induce vomiting. May cause chemical pneumonitis. Call doctor.

INHALATION: Should symptoms noted under physiological effects occur, remove to fresh air. If not breathing, apply artificial respiration.

OTHER INSTRUCTIONS: Remove gasoline or diesel soaked clothing.

PHYSIOLOGICAL EFFECTS

Acute Effects - Severe With Short Duration

Gasoline AND Diesel:

- Causes slight to moderate *eye* irritation.
- Moderately irritating to the *skin*; causes redness, edema, or drying of the skin.

Gasoline:

- May cause dizziness; irritation of eyes, nose and throat; vomiting; and bluish color of the skin.
- To the *central nervous system*, may cause contracted pupils loss of reflexes, convulsions, seizures, sudden loss of consciousness, coma, and sudden death.
- Other symptoms are: Headaches, mental confusion and depression, flushing of the face, loss of appetite, nausea, slurred speech, and difficulty in swallowing.

Diesel:

- Inhaling high concentrations of diesel vapors may cause drowsiness or unconsciousness (narcosis).

Chronic Effects - Severe With Long Duration

Recent studies with laboratory animals have shown that diesel and gasoline vapors cause kidney cancer in mice.

IMPORTANT NOTICE

This FIRE SAFETY TRAINING BROCHURE meets all requirements of Oregon Administrative Rules, Chapter 837, Division 20 and the Flammable Liquids Dispensing Regulations, ORS 480.345.

Please read and provide this information to all employees who are authorized to dispense fuel prior to dispensing. This brochure contains important information for those who operate nonretail fuel dispensing equipment.

RETURN the tear-off portion, signed and dated with the account number, to your cardlock operator to show compliance with Oregon laws.



Office of State Fire Marshal
4760 Portland Road NE
Salem, OR 97305-1760

The Office of State Fire Marshal is taking this opportunity to provide information about the 2007 Oregon Fire Code requirements adopted and effective April 1, 2007. This three part code addresses personal safety training measures regarding **discharging static electricity** before and during the process of dispensing gasoline. For your safety - please follow the procedures listed below:




- 1- Discharge static electricity before fueling by touching a metal surface away from the nozzle.
- 2- To prevent static charge, do not reenter your vehicle while gasoline is pumping.
- 3- If a fire starts, do not remove the nozzle, use the emergency fuel shut off.



Office of State Fire Marshal
License and Permit Service – Nonretail Fuel Dispensing
4760 Portland Road N.E, Salem, OR 97305-1760

SAFETY TRAINING ADDENDUM: APPROVED CONTAINERS

Only approved containers may be filled at cardlocks in Oregon. *Approved containers must meet the following requirements:*



1. No sale or purchase of flammable liquids shall be dispensed into containers unless the containers are **CLEARLY MARKED** with the name of the liquid. (NFPA 30A, Sec.9.2.3.2)

Cdfm 443 Revised 9/2/10

Cdfm 443 – Safety Training Addendum

2. The container must be constructed of metal or approved plastic, have a tight closure, and be fitted with a spout or be so designed that the contents can be poured without spilling. (OFC 2204.4.1)
3. A metal or *plastic safety can must not have a capacity over 5 gallons. (NFPA 30, Sec. 4.2.3)
*An approved plastic container is labeled “Gasoline” or “Flammable” and has been tested and listed to be in compliance with the requirements of ASTM F 852 or F 976, ANSI/UL 1313, or 49 CFR.
4. A metal drum, meeting DOT specifications, must not have a capacity over 60 gallons. Place on ground, bond & ground drum, and use an adapter to prevent fuel from “free falling.”



Procedures for fueling portable containers:

- Portable containers of 12 gallon capacity or less must be placed on the ground before filling. (NFPA 30, Sec. 9.2.3.3) **DO NOT FILL PORTABLE CONTAINERS WHILE LOCATED IN A TRUNK, A BOAT, OR BED OF A PICKUP!**
- Latch open devices **shall not be engaged** while dispensing flammable or combustible liquids into portable containers.